## **Agromet Advisory Bulletin**

Andaman and Nicobar Islands

Issued on: 04<sup>th</sup> February, 2024 Validity Period: 05<sup>th</sup> to 09<sup>th</sup> Feb, 2025

No: AB (E)/02/2025-26/11

### Value Added Medium Range Weather Forecast: (05th to 09th Feb, 2025)

Mainly clear sky with dry weather is likely to occur during next five days in Andaman and Nicobar Islands. During the period in South Andaman district 1.0 mm of cumulative rainfall, in North and Middle Andaman district 0.0 mm of cumulative rainfall and in Nicobar group of Island 8.0 mm of cumulative rainfall is expected in upcoming 5 days. The maximum temperature is projected to range between 28.0 and 31.0 degrees Celsius, while the minimum temperature is expected to be within the range of 21.0 to 22.0 degrees Celsius. Additionally, the forecast suggests that the maximum relative humidity will fall between 80 % and 87 %, and the minimum relative humidity will be in the range of 53 % to 72 % in the Andaman and Nicobar Islands. Wind speed is expected to range from 7.0 to 17.0 kmph, predominantly from the North Easterly direction.

Weather based agro advisories (05th to 09th Feb, 2025)

#### **For South Andaman**

- Dry weather likely to continue during next five days and advised to irrigate the vegetable field during evening hours.
- Do hand weeding, manuring and earthingup in vegetables.
- Harvest Black pepper at right stage of maturity and do blanching (Putting it into boiling water for a short time) to maintain uniform color.
- Clove should be harvested at right stage of maturity (Flower buds are unopened) and dried properly before storage.
- Mulch the basins of coconut with coconut leaves or crop residue to conserve soil moisture.
- Regular deworming of pigs should be done with the advice of local vertinary doctors for better health.

#### For North and Middle Andaman

- Dry weather likely to continue during next five days and advised to irrigate the vegetable field during evening hours.
- Do hand weeding, manuring and earthingup in vegetables.
- Harvest Black pepper at right stage of maturity and do blanching (Putting it into boiling water for a short time) to maintain uniform color.
- Clove should be harvested at right stage of maturity (Flower buds are unopened) and dried properly before storage.

- Mulch the basins of coconut with coconut leaves or crop residue to conserve soil moisture.
- Regular deworming of pigs should be done with the advice of local vertinary doctors for better health.

#### For Nicobar

- Dry weather likely to continue during next five days and advised to irrigate the vegetable field during evening hours.
- Do hand weeding, manuring and earthingup in vegetables.
- Harvest Black pepper at right stage of maturity and do blanching (Putting it into boiling water for a short time) to maintain uniform color.
- Clove should be harvested at right stage of maturity (Flower buds are unopened) and dried properly before storage.
- Mulch the basins of coconut with coconut leaves or crop residue to conserve soil moisture.
- Regular deworming of pigs should be done with the advice of local vertinary doctors for better health.

Coordinator-AAB NRM division CARI, Port Blair

For more information call CIARI toll free No. 1800 345 3193

# मौसमपरामर्शबुलेटिन

अंडमान तथा निकोबार द्वीप समूह संख्या: $\mathbf{AB}(\mathbf{H})/02/2025-26/11$  जारी करने की तारीख: 04 फ़रवरी, 2024 समयावधि: 05 से 09 फ़रवरी, 2025

मध्यम अवधि मूल्य वर्धित मौसम पुर्वानुमान (05 से 09 फ़रवरी, 2025)

अगले पांच दिनों के दौरान अंडमान और निकोबार द्वीपसमूह में मुख्यतः आसमान साफ रहेगा तथा शुष्क मौसम रहने की संभावना है। इस अवधिके दौरान दक्षिण अंडमान में 1.0 मिमी संचयी वर्षा एवं उत्तर और मध्य अंडमान में 0.0 मिमी संचयी वर्षा और निकोबार द्वीप समूह में 8.0 मिमी संचयी वर्षा होने की संभावना है। इस अवधि के दौरान द्वीप समूह में अधिकतम तापमान 28.0 से लेकर 31.0° सेल्सियस रहेगा एवं न्यूनतम तापमान 21.0 से 22.0° सेल्सियस रहेगा। अधिकतम सापेक्षिक आर्द्रता 80 से 87 प्रतिशत तथा न्यूनतम सापेक्षिक आर्द्रता 53 से 72 प्रतिशत रहेगा। अधिकतर उत्तर पूर्वी दिशा से 7.0 से 17.0 कि.मी प्रति घंटे की रफ़्तार से हवा चलने की संभावना हैं।

मौसम आधारित कृषि सलाह (05 से 09 फ़रवरी, 2025)

## दक्षिण अंडमान के लिए

- अगले पांच दिनों के दौरान शुष्क मौसम जारी रहने की संभावना है अत: सलाह दी जाती है की सब्जी खेतों की सिंचाई, शाम के समय करें।
- सब्जियों में हाथ से निराई तथा खाद का उपयोग और मृदा चढ़ाने का काम करें।
- काली मिर्च की कटाई परिपक्वता की सही अवस्था में करें और एक समान रंग बनाए रखने के लिए ब्लांचिंग (थोड़ी देर के लिए उसे गर्म पानी में खौलाना) करें।
- लौंग की कटाई परिपक्वता की सही अवस्था (फूल की कलियाँ बंद) पर की जानी चाहिए तथा भंडारण से पहले उसे अच्छी तरह सुखाया जाना चाहिए।
- नारीयल बगीचे की मृदा नमी संरक्षित करने हेतु नारियल पेड़ के बेसिन को नारियल के पत्तों या फसल अवशेष से ढाके।
- सूअरों का बेहतर स्वास्थ्य के लिए स्थानीय पशु चिकित्सकों की सलाह से सूअरों को नियमित कृमि मुक्त कराया जाना चाहिए।

## उत्तर और मध्य अंडमान के लिए

- अगले पांच दिनों के दौरान शुष्क मौसम जारी रहने की संभावना है अत: सलाह दी जाती है की सब्जी खेतों की सिंचाई, शाम के समय करें।
- सब्जियों में हाथ से निराई तथा खाद का उपयोग और मृदा चढ़ाने का काम करें।
- काली मिर्च की कटाई परिपक्वता की सही अवस्था में करें और एक समान रंग बनाए रखने के लिए ब्लांचिंग (थोड़ी देर के लिए उसे गर्म पानी में खौलाना) करें।
- लौंग की कटाई परिपक्वता की सही अवस्था (फूल की किलयाँ बंद) पर की जानी चाहिए तथा भंडारण से पहले उसे अच्छी तरह सुखाया जाना चाहिए।
- नारीयल बगीचे की मृदा नमी संरक्षित करने हेतु नारियल पेड़ के बेसिन को नारियल के पत्तों या फसल अवशेष से ढाके।

 सूअरों का बेहतर स्वास्थ्य के लिए स्थानीय पशु चिकित्सकों की सलाह से सूअरों को नियमित कृमि मुक्त कराया जाना चाहिए।

## निकोबार के लिए

- अगले पांच दिनों के दौरान शुष्क मौसम जारी रहने की संभावना है अत: सलाह दी जाती है की सब्जी खेतों की सिंचाई, शाम के समय करें।
- सब्जियों में हाथ से निराई तथा खाद का उपयोग और मृदा चढ़ाने का काम करें।
- काली मिर्च की कटाई परिपक्वता की सही अवस्था में करें और एक समान रंग बनाए रखने के लिए ब्लांचिंग (थोड़ी देर के लिए उसे गर्म पानी में खौलाना) करें।
- लौंग की कटाई परिपक्वता की सही अवस्था (फूल की कलियाँ बंद) पर की जानी चाहिए तथा भंडारण से पहले उसे अच्छी तरह सुखाया जाना चाहिए।
- नारीयल बगीचे की मृदा नमी संरक्षित करने हेतु नारियल पेड़ के बेसिन को नारियल के पत्तों या फसल अवशेष से ढाके।
- सूअरों का बेहतर स्वास्थ्य के लिए स्थानीय पशु चिकित्सकों की सलाह से सूअरों को नियमित कृमि मुक्त कराया जाना चाहिए।

Coordinator-AAB NRM division CARI, Port Blair

विस्तृतजानकारीकेलिएटोलफ्रीनम्बर1800 345 3139 परसम्पर्ककरें।